

**Denali Borough - Cantwell School Code Upgrade & Roof Repair**

**FY2001 Request: \$334,468**  
**Reference No: AMD 33573**

**AP/AL:** Appropriation  
**Category:** Education  
**Location:** Cantwell  
**House District:** North Pole, Denali (HD 34)  
**Estimated Project Dates:** 07/01/2000 - 06/30/2005

**Project Type:** Renewal and Replacement  
**Contact:** Karen J. Rehfeld  
**Contact Phone:** (907)465-8650

**Brief Summary and Statement of Need:**

This project is the FY2001 Major Maintenance Grant Fund Priority #47 and is scheduled to begin in FY2002.

| <b>Funding:</b> | <u>FY2001</u> | <u>FY2002</u> | <u>FY2003</u> | <u>FY2004</u> | <u>FY2005</u> | <u>FY2006</u> | <u>Total</u> |
|-----------------|---------------|---------------|---------------|---------------|---------------|---------------|--------------|
| AHFC Bonds      | \$334,468     |               |               |               |               |               | \$334,468    |
| <b>Total:</b>   | \$334,468     | \$0           | \$0           | \$0           | \$0           | \$0           | \$334,468    |

|                                               |                                                      |                                               |                                             |                                   |
|-----------------------------------------------|------------------------------------------------------|-----------------------------------------------|---------------------------------------------|-----------------------------------|
| <input type="checkbox"/> State Match Required | <input checked="" type="checkbox"/> One-Time Project | <input type="checkbox"/> Phased - new         | <input type="checkbox"/> Phased - underway  | <input type="checkbox"/> On-Going |
| 0% = Minimum State Match % Required           |                                                      | <input checked="" type="checkbox"/> Amendment | <input type="checkbox"/> Mental Health Bill |                                   |

**Operating & Maintenance Costs:**

|                      | <u>Amount</u> | <u>Staff</u> |
|----------------------|---------------|--------------|
| Project Development: | 0             | 0            |
| Ongoing Operating:   | 0             | 0            |
| One-Time Startup:    | 0             |              |
| <b>Totals:</b>       | <b>0</b>      | <b>0</b>     |

**Additional Information / Prior Funding History:**

**Project Description/Justification:**

This project will completely rewire 2,600 square feet of the 26-year-old, 17,141 square foot structure, upgrading it to code. Currently wiring is bound in fabric and Romex, not enclosed in conduit. Also, 42 four-bulb fluorescent fixtures, 26 duplex receptacles, two GFI receptacles, two crawlspace fans, 14 light switches, two circulating pumps, and two eight-foot electrical baseboard heaters will be replaced. This project will also re-cover the entire roof of the 17,141 square foot school with an appropriate roof system. The original structure was built 27 years ago with two subsequent additions. The roof's fair-to-poor condition has allowed leaks necessitating the replacement of 320 square feet of floor covering at district expense. Proposed cost of project: \$477,812.