

**Agency: Commerce, Community and Economic Development****Grants to Municipalities (AS 37.05.315)****Grant Recipient: Anchorage****Federal Tax ID: 92-0059987****Project Title:****Project Type: Maintenance and Repairs**

# Anchorage - Hillside Road and Drainage System Rehabilitation

**State Funding Requested: \$280,000****House District: Anchorage Areawide (16-32)**

Future Funding May Be Requested

**Brief Project Description:**

This project will fund reconstruction of road and drainage facilities within Hillside Area Limited Road Service Areas (LRSAs). Funding is proposed as a 70/30 partnership of state grants and local road mill levies.

**Funding Plan:**

Total Project Cost:	\$2,400,000
Funding Already Secured:	(\$0)
FY2012 State Funding Request:	(\$280,000)
Project Deficit:	\$2,120,000

**Detailed Project Description and Justification:**

Specific projects are to be identified by local road boards. This Phase I request and local match are expected to fully fund improvements for phase I construction in 2012 and 2013. Many local roads in the Hillside Limited Road Service Areas (LRSAs) remain dirt or gravel streets with high maintenance costs. In addition, these roads are a source of dust which reduces air quality for the community. This project is a priority for the hillside area community councils.

**Project Timeline:**

Design expenditures are expected to occur in 2011 and 2012. Easement acquisition and utility expenses will take place in 2012. Phase I construction spending is anticipated in 2012/2013.

**Entity Responsible for the Ongoing Operation and Maintenance of this Project:**

Hillside Limited Road Service Area Boards

**Grant Recipient Contact Information:**

Name: Gary Jones  
 Title: Capital Program Coordinator  
 Address: PO Box 196650  
 Anchorage, Alaska 99519  
 Phone Number: (907)343-8446  
 Email: jonesgb@muni.org

Total Project Snapshot Report

2011 Legislature

TPS Report 51374v1

Has this project been through a public review process at the local level and is it a community priority?  Yes  No