

Reapprop to DEC for Kodiak ultraviolet secondary water treatment facility and replacing/upgrading pump house in Monashka Bay

FY2014 Request: \$0
Reference No: 57852

AP/AL: Appropriation
Category: Development
Location: Kodiak
Impact House District: Kodiak/Cordova (HD 35)
Estimated Project Dates: 06/30/2013 - 06/30/2016

Project Type: Construction
House District: Kodiak/Cordova (HD 35)
Contact:
Contact Phone: (555)555-5555

Brief Summary and Statement of Need:

The unexpended and unobligated balance, estimated to be \$900,000, of the appropriation made in sec. 1, ch. 5, FSSLA 2011, page 81, lines 27 - 29, and allocated on page 82, lines 7 - 9 (Department of Environmental Conservation, municipal water, sewage, and solid waste facilities grants, Kodiak, ultraviolet secondary water treatment facility - \$3,616,200) is reappropriated to the Department of Environmental Conservation for the Kodiak ultraviolet secondary water treatment facility and for replacing and upgrading the pump house in Monashka Bay.

Funding:	<u>FY2014</u>	<u>FY2015</u>	<u>FY2016</u>	<u>FY2017</u>	<u>FY2018</u>	<u>FY2019</u>	<u>Total</u>
Total:	\$0	\$0	\$0	\$0	\$0	\$0	\$0

<input type="checkbox"/> State Match Required	<input type="checkbox"/> One-Time Project	<input type="checkbox"/> Phased - new	<input type="checkbox"/> Phased - underway	<input type="checkbox"/> On-Going
0% = Minimum State Match % Required		<input type="checkbox"/> Amendment	<input type="checkbox"/> Mental Health Bill	

Operating & Maintenance Costs:

	<u>Amount</u>	<u>Staff</u>
Project Development:	0	0
Ongoing Operating:	0	0
One-Time Startup:	0	0
Totals:	0	0

Prior Funding History / Additional Information: